



ASPECT

The Aspect of your life!





Rs, ^†|^ \

^8è"5 f "éèMàé" †ò-†dèMæ" ;†" =MÔM] 5=ð" è =M-è° dMāð° SQM =M dM..d-ðM8-M^8è"5 f "éèM =Mâ ! ð8 è dð8èM dè° Mä8èð-8èM] 8è ! ð8è =MÒ â ä] QM f '†' M†8 è ...-†" =M8-M

=ifM† ! =è" =M ! è†ð =M" è ...è85è\$MÛTQTMM... "8...è" MèM8 ; " -M†TTM†8 ! èò-†" =M-èM-è° dMāð° " M†8 è ...dè5M =M8 ; " -Mò f 8M° " †d° " =M8è° M dè° M' d =M- " ; 8è ! ð8è = " ° M

ð' "M "è" †ò-†dèM è° ! =ð-5M †5M èð-8° ! †è\$M ð' " M †8è† "...ðM 8-M è 8° ! èd-ð5M dè° M †d†è" M è dèd\$" è "èðM =5=ð" è =M ^8è"5 f "éèM àé" †ò-†dèM æ" ;†" =M ÔM

]5=ð" è =M-è° dMāð° S† =Mè" d° è\$M f †-èè\$M d††" ==8-†" =M†-dè° M =M b @S

b @M' d =M† " "èM° "è† ; " -èè\$M "è" †ò-†dèM †8èè" †ò† ; †ð5M dè° M =d:" ð5M =è†" M P X P X M dè° M † =Mò " " M f 8-è° Ò =M ð8- " è 8 =M è dè ! †d†ð ! - " -M8-M "è" †ò-†dèM dè° M dðdM

†8èè" †ò† ; †ð5M...-8° ! †ð =M dè° M =8è ! ð8è =M S† â M...18è " " -MèMò " "M-† "è° M f †ð' M = " ; " -dèM èè8 ; dð8è =Mò 8M ð =M† " " ° †ðQM b @M' d =M " =ðd†è† = " " ° M dM- " ... ! ðdð8èM-8-Mò " " M

'†\$ " "èM =ðdè° d-° =MèM- ! dè†ð5M =d÷" ð5M dè° M- "è†d†è†èð5M

c †ð' M8 ; " -MÛTTM...-8° ! †ò =MèMò " "M...8-ð8è†8QM b @M è " "ò =M" ; " -5M d =... " †ð8-M "è" †ò-†dèM è =ðdèèdð8èM-8 è M dM =† è ...è " M...è ! \$Mò 8M dM' †\$' è5M =8... '† =ð†dð° " M†d†è" M

è dèd\$" è "èðM =5=ð" è S





^ \1R†fv†

ã88éldòmdè5M\$- dòm° =i\$èQMdè°M f ' dòm58! ÔèèMdè f d5=||= "M=||†d- " : ! èMcdòò " èò18èlò8M° " òd1èSMM " " M-d†òM=lò ' dòmò " è =Mè1é "M= f iò† " " =ldè°M=8†é "ò=M " dèè5M
†8! èò1Mldè°Mò " "M† "òò " -M° " =i\$è " °Mdè°Mè d° " "Mò " "5Md- "QMò " "Mè8- "M8÷ldM° i÷: " " è† "Mò " "5M f ièèMè dé "S

\ " f M b @Md=... " †òM=MdM† " d!ò1÷! èMè " f M-dè\$ "M8=M= f iò† " " =ldè°M=8†é "ò=QM f ' i† " M1=M1rèè8j dò1j "Mdè°M! è! =! dèMèMdlè! è† " -M8=M f d5=RM=8 è "Mj i=†è "QM
=8 è "Mè8òSM " " M° " i=\$èM1=Mj i=i†è5Mj " -5M=i è...è " Mdè°Mj " -5M=ò5èi= " SM-ò=M=èi è M...-8÷iò "Mdè°M:èd f è " =M÷-8èòM...èdò " M " è= ! - "Mò " dòmMòMdè f d5=Mè88é=M " f iò-dM
=... " †idèSM Mã " =Mj i=†è "QM†! èMe! =òMd=M1 è...8-òdèòQMd- "Mò " "M i\$ " M-! dèiò5M è dò " -idè=Mò " "5Md- "M è d° "M-8 è QMò " "M÷! è†ò18èdèiò5QM- " èid†ièiò5Mldè°M=d÷ " ò5QM
f ' i† " M' d j " Mè d° " Mb @M " è " †ò-i†dèM...-8°! †ò=M†dè8! =S








' - | . . . ° ||] d d t e i ' = ||] ' . . . ° i

eyv|d†€}v|R†fvt†

~ . . " M = i è ... è " Q M † è " d e M = 0 5 i è \$ M 8 = M b @ M â = ... † d M i = M † 8 0 * M † d = = i † M d è ° M † 8 è 0 " è ... 8 - d - 5 M d è ° M è 8 8 é = M d d M ' 8 è " M
 d è 5 f ' " - " Q M è i d è è 8 = d M d è 5 M é i è ° M 8 = M " è ; i - 8 è è " è d M f ' " - " M = 0 5 è " M d è ° M - ! d è i 0 5 M d - " M è ... 8 - d d è 0 S M M " ' " M ... - 8 : i è " M = M
 e ! = d M Û è è M = é i è M è d é i è \$ M i 0 M ° i = † - " 0 " Q M 5 " d M = 8 M = 0 5 é i = ' S M ~ ' " M † 8 è † " d è " ° M = † - " f = M d è ° M ' i \$ ' M - ! d è i 0 5 M - i è i = ' M
 è d é " = M d M " è " \$ d è 0 M d è ° M - " d è é 5 M = d ! è è i è \$ \$








à d'f8dè
































































eyv1` f†z, €r}R†fv††

â=ll f "èèll d=ll dM f l ° "ll †' 8†"ll 8†ll †èl= " =QM ò' "ll è" f ll b @ll â=... "†8M 8†" =-ll dM
 †8 è...- " " è=ll "ll dè\$ "Sll' " "ll d- "ll dèèll Néè°=ll 8†ll= f l †† " "ll dè°ll=8†é" ò=QM dll-dè\$ "ll
 8†ll 8! dè" ò=ll=8-M " •QM- "ll dè°ll 8 "è" †8 è ll = " -j †† " =SMM' " " "ll d- "ll- "èl d†è" ll dè°ll " †† †òl j "ll
 °l è è "ll= f l †† " " =QM dè°ll è 8° ! èd-ll= f l †† " " =ll RM dèèll =l è ...è "ll ò8ll è=ò dèèSM ll â èèll ò' "ll
 8...òl 8è=ll 8! ll †8! è°ll f dèòS







	d, t v† ^ † v††						dŠžtyv†	
	1 GANG ROUND PIN 5 AMP	5 AMP SWITCHED SOCKET	1 GANG ROUND PIN 15 AMP SWITCHED SOCKET	16 AMP UNSWITCHED INTERNATIONAL SOCKET	16 AMP 1 MODULE UNIVERSAL SOCKET	DUAL VOLTAGE 115/230V OUTPUT 220/240V 50/60Hz INPUT	10 AMP SP 1 WAY	10 AMP SP 2 WAY
								
								
								
								
								
								
								

] { ä - ä ä | & ~ \ ~] ^ ä]]]

* Insertion of a shaver plug automatically switches on by energising the primary side of the isolating transformer - removal automatically switches off. The transformer is protected against overload by an automatic solid state overload device with automatic resetting.

DIMENSIONS:
146 x 86mm

FIXING CENTRES:
120.6mm

BS EN 61558-2-5:1998

DIMENSIONS:
86 x 86mm

FIXING CENTRES:
60.3mm

BS.546: 1950

DIMENSIONS:
86 x 86mm

FIXING CENTRES:
60.3mm

BS.546: 1950

DIMENSIONS:
86 x 86mm

FIXING CENTRES:
60.3mm

BS.546: 1950

This socket to be installed on Euro 2 Module Front Plate.

The Universal Socket does not incorporate an earth contact. Appliance needing earth connection (class I equipment) must NOT be used with this socket. The socket is interded for use with BS, USA and CEE standard plug. BS.5733:1995


This design incorporates a double wound isolating transformer rated 20VA at 230 or 115 volts and meets BS EN 61558-2-5:1996 making is safe for use in bathrooms.*

This switches do NOT have to be derated when used with fluorescent or inductive loads


BS EN 60669-1: 2000

This switches do NOT have to be derated when used with fluorescent or inductive loads

BS EN 60669-1: 2000



	^ , u ^ } r ... 1W ... , € { # a } r t v						Uz ~ ~ v ...	
	1 MODULE	2 MODULE	3 MODULE	4 MODULE	6 MODULE	8 MODULE	220V a.c. 50Hz 500W SINGLE	220V a.c. 50Hz 1000W SINGLE



] { ä - ä ä & \ ~ \ ^ ä]

' - ! = ' ° °] δ d i è ' = =] δ ' ° è	@UÜÜÜP ']]	@UÜÜÜU ']]	@UÜÜÜÜ ']]	@UÜÜÜÜ ']]	@UÜÜÜÜ ']]	@UÜÜÜW ']]	@UÜÜÜP ']]	@UÜÜÜP ']]
{ 8 ä = ' ° ° ' - d = =	@UÜÜÜP { ' [@UÜÜÜU { ' [@UÜÜÜÜ { ' [@UÜÜÜÜ { ' [@UÜÜÜÜ { ' [@UÜÜÜW { ' [@UÜÜÜP { ' [@UÜÜÜP { ' [
{ 8 ä = ' ° °] ä ' - 8 è "	@UÜÜÜP { ä	@UÜÜÜU { ä	@UÜÜÜÜ { ä	@UÜÜÜÜ { ä	@UÜÜÜÜ { ä	@UÜÜÜW { ä	@UÜÜÜP { ä	@UÜÜÜP { ä
c ' i d "	@UÜÜÜP c ^ -	@UÜÜÜU c ^ -	@UÜÜÜÜ c ^ -	@UÜÜÜÜ c ^ -	@UÜÜÜÜ c ^ -	@UÜÜÜW c ^ -	@UÜÜÜP c ^ -	@UÜÜÜP c ^ -
ä ' d - † 8 d è	@UÜÜÜP ä ^ ä	@UÜÜÜU ä ^ ä	@UÜÜÜÜ ä ^ ä	@UÜÜÜÜ ä ^ ä	@UÜÜÜÜ ä ^ ä	@UÜÜÜW ä ^ ä	@UÜÜÜP ä ^ ä	@UÜÜÜP ä ^ ä
ä ' d è ... d \$ è "	@UÜÜÜP ä ']	@UÜÜÜU ä ']	@UÜÜÜÜ ä ']	@UÜÜÜÜ ä ']	@UÜÜÜÜ ä ']	@UÜÜÜW ä ']	R	R
b " δ d ' 8 fill ä 8 è ... d i † i è i d 5	æ c XTP	æ c XTP	c UÜTÜÜ	c UÜTÜÜ	c UÜTÜT	c UÜTÜT	æ c XTP	æ c XTP

DIMENSIONS:
86 x 86mm

FIXING CENTRES:
60.3mm

DIMENSIONS:
86 x 86mm

FIXING CENTRES:
60.3mm

DIMENSIONS:
86 x 146mm

FIXING CENTRES:
120.6mm

DIMENSIONS:
86 x 146mm

FIXING CENTRES:
120.6mm

DIMENSIONS:
146 x 146mm

FIXING CENTRES:
120.6mm

DIMENSIONS:
146 x 146mm

FIXING CENTRES:
120.6mm

DIMENSION: 86 x 86mm
FIXING CENTRES: 60.3mm
Suitable for tungsten
GLS lamps only, with
internal fuses.

NOT SUITABLE FOR
FLUORESCENT LOADS.

DIMENSION: 86 x 86mm
FIXING CENTRES: 60.3mm
Suitable for tungsten
GLS lamps only, with
internal fuses.

NOT SUITABLE FOR
FLUORESCENT LOADS.

~`"M:-iè"=òM-d-†`iò"†ò=QMIèò"-i8-||°"=i\$è"-=||dè°M"è\$!è"~-=||dè f d5=||-†8è è"è°||b @\$
 â=é||ò`"èSMM|-||ä8èòd†ò||ä!=ò8è"~||ä-d-~||dò||èèò" dè á`8è"5 f"èè\$†8èè||ÔM TÛURUÙPÙM PÙUÙS

Honeywell Electrical Devices and Systems India Limited

Regd Off: 'Crescendo', 995-B, Second Avenue, Annanagar, Chennai - 600 040. India	Telephone: 091 - 44 - 66326789.
E-mail: mkteam@honeywell.com	Website: www.mkelectricindia.com Fax: 091 - 44 - 26161235.

BANGALORE	# 301, Prestige Kada, III Floor, # 22, Richmond Road, Bangalore - 560 025.	Telephone: 080 - 64539831/32.
	E-mail: mkbangalore@honeywell.com	Fax: 080 - 2211 3690.
CHENNAI	'Crescendo', 995-B, Second Avenue, Annanagar, Chennai - 600 040.	Telephone: 091 - 44 - 66326678.
	E-mail: mkchennai@honeywell.com	Fax: 091 - 44 - 26161237.
HYDERABAD	Surana House, # 6-3-569/1, 4th Floor, Erramanzil 'X' Roads Khairtabad, Hyderabad - 500 082.	Telephone: 040 - 66410911. Fax: 040 - 66410930.
	E-mail: mkhyderabad@honeywell.com	
KOCHI	41/2553, 2A 2 nd Floor, Metro Palace, Opp. Town Railway Station Kochi - 682 018.	Telephone: 0484 - 2394379. Fax: 0484 - 2394732.
	E-mail: mkcochin@honeywell.com	
KOLKATA	Matrix Tower, DN-24, 4th Floor, Room No.403, Sector-V, Salt lake, Kolkatta - 700 091.	Telephone: 033 - 64566170. Fax: 033 - 40040962.
	E-mail: mkkolkatta@honeywell.com	
MUMBAI	Eco-elite Building, 2nd floor, Marol Maroshi Road, Marol, Next to Zakaria Indl Estate, Andheri (E), Mumbai - 400 059.	Telephone: 022 - 67650680/81. Fax: 022 - 67650682.
	E-mail: mkmumbai@honeywell.com	
NEW DELHI	Plot No. 2-A, Corner Market, Malviya Nagar, New Delhi - 110 017.	Telephone: 011 - 64737433. Fax: 011 - 26673102.
	E-mail: mkdelhi@honeywell.com	

